










<i>Date.</i> 12.01.2016	<i>Constr./draw.</i> JA/EAO	<i>Approved.</i>	<i>Scale.</i> A4 1:1	<i>Review nr.</i> 5	<i>Review date</i> 25.02.2022
Fastkarm i tre/aluminium 53mm fals			<i>Section:</i> Vertikal	 Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no	<i>Drawing nr.</i> FKA53_TR_B
			<i>Part:</i> Bunn		
<i>Tolerance.:</i> NS-ISO 2768-1-middels.			<i>Design:</i> Trend		






<i>Date.</i> 10.09.2009	<i>Constr./draw.</i> EAO	<i>Approved.</i>	<i>Scale.</i> A4 1:1	<i>Review nr.</i> 5	<i>Review date</i> 25.02.2022
Fastkarm i tre/aluminium 53mm fals			<i>Section:</i> Vertikal		<small>Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>
			<i>Part:</i> Topp		
			<i>Tolerance.:</i> NS-ISO 2768-1-middels.	<i>Design:</i> Trend	




Date: 10.09.2009	Constr./draw. EAO	Approved.	Scale: A4 1:1	Review nr. 5	Review date 25.02.2022
Fastkarm i tre/aluminium 53mm fals			Section: Horizontal		<small>Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>
			Part: Side		
			Tolerance.: NS-ISO 2768-1-middels.	Design: Trend	



Date. 29.11.2012	Constr./draw. JA/EAO	Approved.	Scale. A4 1:1	Review nr. 5	Review date 25.02.2022
Fastkarm i tre/aluminium 53mm fals			Section: Horizontal		<small>Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>
			Part: Post		
			Tolerance.: NS-ISO 2768-1-middels.	Design: Trend	



Date. 29.11.2012	Constr./draw. JA/EAO	Approved.	Scale. A4 1:1	Review nr. 5	Review date 25.02.2022
Fastkarm i tre/aluminium 53mm fals			Section: Vertikal		<small>Nordvestvinduet AS N-8713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>
			Part: Losholt		
			Tolerance.: NS-ISO 2768-1-middels.	Design: Trend	FKA53_TR_L68